L Number	Hits	Search Text	DB	Time stamp
-	51785	(mask$3 or resist$3 or photoresist) same ((etch$3 or chemical$2 adj mil$3 or deoxidiz$3 or anodiz$3) and metal)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/03 09:04
-	25136	((mask$3 or resist$3 or photoresist) same ((etch$3 or chemical$2 adj mil$3 or deoxidiz$3 or anodiz$3) and metal)) and (mask$3 or resist$3 or photoresist) same (aluminum or "Al" or steel or titanium or "Ti")	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/03 09:05
-	26	(((mask$3 or resist$3 or photoresist) same ((etch$3 or chemical$2 adj mil$3 or deoxidiz$3 or anodiz$3) and metal)) and (mask$3 or resist$3 or photoresist) same (aluminum or "Al" or steel or titanium or "Ti")) and (mask$3 or resist$3 or photoresist) same ($4urethane adj3 $4acrylate or $4urethane adj3 $4acrylate)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/05/26 16:28
-	922	((((mask$3 or resist$3 or photoresist) same ((etch$3 or chemical$2 adj mil$3 or deoxidiz$3 or anodiz$3) and metal)) and (mask$3 or resist$3 or photoresist) same (aluminum or "Al" or steel or titanium or "Ti")) and (mask$3 or resist$3 or photoresist) same ($4acrylate or $4acrylate)) not (((((mask$3 or resist$3 or photoresist) same ((etch$3 or chemical$2 adj mil$3 or deoxidiz$3 or anodiz$3) and metal)) and (mask$3 or resist$3 or photoresist) same (aluminum or "Al" or steel or titanium or "Ti")) and (mask$3 or resist$3 or photoresist) same ($4urethane adj3 $4acrylate or $4urethane adj3 $4acrylate))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/05/26 16:27
-	26	((((mask$3 or resist$3 or photoresist) same ((etch$3 or chemical$2 adj mil$3 or deoxidiz$3 or anodiz$3) and metal)) and (mask$3 or resist$3 or photoresist) same (aluminum or "Al" or steel or titanium or "Ti")) and (mask$3 or resist$3 or photoresist) same ($4urethane adj3 $4acrylate or $4urethane adj3 $4acrylate)) and (mask$3 or resist$3 or photoresist) same (peel$4 or pull$4 or remov$4 or lift$3 adj off)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/05/26 16:32
-	854	(((((mask$3 or resist$3 or photoresist) same ((etch$3 or chemical$2 adj mil$3 or deoxidiz$3 or anodiz$3) and metal)) and (mask$3 or resist$3 or photoresist) same (aluminum or "Al" or steel or titanium or "Ti")) and (mask$3 or resist$3 or photoresist) same ($4acrylate or $4acrylate)) not (((((mask$3 or resist$3 or photoresist) same ((etch$3 or chemical$2 adj mil$3 or deoxidiz$3 or anodiz$3) and metal)) and (mask$3 or resist$3 or photoresist) same (aluminum or "Al" or steel or titanium or "Ti")) and (mask$3 or resist$3 or photoresist) same ($4urethane adj3 $4acrylate or $4urethane adj3 $4acrylate))) and (mask$3 or resist$3 or photoresist) same (peel$4 or pull$4 or remov$4 or lift$3 adj off)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/05/26 16:32

–	6	(((((mask$3 or resist$3 or photoresist) same ((etch$3 or chemical$2 adj mil$3 or deoxidiz$3 or anodiz$3) and metal)) and (mask$3 or resist$3 or photoresist) same (aluminum or "Al" or steel or titanium or "Ti")) and (mask$3 or resist$3 or photoresist) same ($4urethane adj3 $4acrylate or $4urethane adj3 $4acrylate)) and (mask$3 or resist$3 or photoresist) same (peel$4 or pull$4 or remov$4 or lift$3 adj off)) and (mask$3 or resist$3 or photoresist) same (scrib$4 or cut$4 or mark$4 or scrap$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/10/13 21:12
–	1560	(mask$3 or resist$3 or photoresist) same ((deoxidiz$3 or anodiz$3) and metal)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/03 09:55
–	308	((mask$3 or resist$3 or photoresist) same ((deoxidiz$3 or anodiz$3) and metal)) and (peel$4 or remov$4 or scrib$4) adj3 (mask$3 or resist$3 or photoresist)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/03 09:10
–	495	((mask$3 or resist$3 or photoresist) same ((deoxidiz$3 or anodiz$3) and metal)) and (peel$4 or remov$4 or scrib$4 or pull$4 or lift$3 adj off) near3 (mask$3 or resist$3 or photoresist)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/03 09:11
–	511	((mask$3 or resist$3 or photoresist) same ((deoxidiz$3 or anodiz$3) and metal)) and (peel$4 or remov$4 or scrib$4 or pull$4 or lift$3 adj off or cut$4 or scrap$4) near3 (mask$3 or resist$3 or photoresist)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/06/03 09:12
–	24	((mask$3 or resist$3 or photoresist) same ((deoxidiz$3 or anodiz$3) and metal)) and (peel$4 or remov$4 or scrib$4 or pull$4 or lift$3 adj off or cut$4 or scrap$4) near3 (mask$3 or resist$3 or photoresist) same (seal$3)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/10/13 21:13
–	1	(maskant or mask) and line adj sealant same ((deoxidiz$3 or anodiz$3) and metal)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/10/13 21:17
–	0	(maskant or mask) and line adj sealer same ((deoxidiz$3 or anodiz$3) and metal)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/10/13 21:18
–	92	(216/42,44,47,48,101-102 or 430/320,323-324 or 205/122,135,153,188,320,324).ccls. and seal$3 same mask$3	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/10/13 21:18
–	145	(IRGACURE adj "1700") or (IRACURE adj "1700")	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/10/13 21:21
–	23	((IRGACURE adj "1700") or (IRACURE adj "1700")) and (wax or (synergist and triethanolamine))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/10/13 21:24
–	3	((IRGACURE adj "1700") or (IRACURE adj "1700")) and (cur$3 or expos$3 or light$3 or UV or ultraviolet or actinic or radiat$3) same ($5watt adj per adj square adj $5meter or "W/cm.sup.2" or "W/m.sup.2")	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/16 09:47
–	762	(mask$3 or resist$3 or photoresist) same (peel$4 or pull$4 or remov$4 or lift$3 adj off) and $4acrylate and (cur$3 or expos$3 or light$3 or UV or ultraviolet or actinic or radiat$3) same ($5watt adj per adj square adj $5meter or $1"W/cm.sup.2" or $1"W/m.sup.2")	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/10/13 16:13

-	40	(mask$3 or resist$3 or photoresist) same (peel$4 or pull$4 or remov$4 or lift$3 adj off) and $4acrylate.ti,ab. and (cur$3 or expos$3 or light$3 or UV or ultraviolet or actinic or radiat$3) same ($5watt adj per adj square adj $5meter or $1"W/cm.sup.2")	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/16 09:49
-	6	(((((mask$3 or resist$3 or photoresist) same ((etch$3 or chemical$2 adj mil$3 or deoxidiz$3 or anodiz$3) and metal)) and (mask$3 or resist$3 or photoresist) same (aluminum or "Al" or steel or titanium or "Ti")) and (mask$3 or resist$3 or photoresist) same ($4urethane adj3 $4acrylate or $4urethane adj3 $4acrylate)) and (mask$3 or resist$3 or photoresist) same (peel$4 or pull$4 or remov$4 or lift$3 adj off)) and (mask$3 or resist$3 or photoresist) same (scrib$4 or cut$4 or mark$4 or scrap$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/16 09:50
-	25	((mask$3 or resist$3 or photoresist) same ((deoxidiz$3 or anodiz$3) and metal)) and (peel$4 or remov$4 or scrib$4 or pull$4 or lift$3 adj off or cut$4 or scrap$4) near3 (mask$3 or resist$3 or photoresist) same (seal$3)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/16 09:52
-	1	(maskant or mask) and line adj sealant same ((deoxidiz$3 or anodiz$3) and metal)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/16 09:53
-	0	(maskant or mask) and line adj sealer same ((deoxidiz$3 or anodiz$3) and metal)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/16 09:54
-	95	(216/42,44,47,48,101-102.ccls. or 430/320,323-324.ccls. or 205/122,135,153,188,320,324.ccls.) and seal$3 same mask$3	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/16 09:59
-	170	(IRGACURE adj "1700") or (IRACURE adj "1700")	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/10/13 21:22
-	29	((IRGACURE adj "1700") or (IRACURE adj "1700")) and (wax or (synergist and triethanolamine))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/16 10:02
-	3	((IRGACURE adj "1700") or (IRACURE adj "1700")) and (cur$3 or expos$3 or light$3 or UV or ultraviolet or actinic or radiat$3) same ($5watt adj per adj square adj $5meter or "W/cm.sup.2" or "W/m.sup.2")	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/16 09:48
-	41	(mask$3 or resist$3 or photoresist) same (peel$4 or pull$4 or remov$4 or lift$3 adj off) and $4acrylate.ti,ab. and (cur$3 or expos$3 or light$3 or UV or ultraviolet or actinic or radiat$3) same ($5watt adj per adj square adj $5meter or $1"W/cm.sup.2")	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/16 09:50
-	7	(((((mask$3 or resist$3 or photoresist) same ((etch$3 or chemical$2 adj mil$3 or deoxidiz$3 or anodiz$3) and metal)) and (mask$3 or resist$3 or photoresist) same (aluminum or "Al" or steel or titanium or "Ti")) and (mask$3 or resist$3 or photoresist) same ($4urethane adj3 $4acrylate or $4urethane adj3 $4acrylate)) and (mask$3 or resist$3 or photoresist) same (peel$4 or pull$4 or remov$4 or lift$3 adj off)) and (mask$3 or resist$3 or photoresist) same (scrib$4 or cut$4 or mark$4 or scrap$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/16 09:51

–	25	((mask$3 or resist$3 or photoresist) same ((deoxidiz$3 or anodiz$3) and metal)) and (peel$4 or remov$4 or scrib$4 or pull$4 or lift$3 adj off or cut$4 or scrap$4) near3 (mask$3 or resist$3 or photoresist) same (seal$3)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/16 09:52
–	1	(maskant or mask) and line adj sealant same ((deoxidiz$3 or anodiz$3) and metal)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/16 09:53
–	0	(maskant or mask) and line adj sealer same ((deoxidiz$3 or anodiz$3) and metal)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/16 09:54
–	99	(216/42,44,47,48,101-102.ccls. or 430/320,323-324.ccls. or 205/122,135,153,188,320,324.ccls.) and seal$3 same mask$3	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/16 09:59
–	31	((IRGACURE adj "1700") or (IRACURE adj "1700")) and (wax or (synergist and triethanolamine))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/16 10:02